


<b>10</b>	<b>Specifications and Definitions Within the NANDA International Taxonomy of Nursing Diagnoses</b>	<b>164</b>
10.1	Structure of Taxonomy II	164
10.2	NANDA-I Taxonomy II: A Multiaxial System	165
10.3	Definitions of the Axes	166
10.4	Developing and Submitting a Nursing Diagnosis	174
10.5	Further Development: Using Axes	175
10.6	References	176
<b>11</b>	<b>Glossary of Terms</b>	<b>177</b>
11.1	Nursing Diagnosis	177
11.2	Diagnostic Axes	178
11.3	Components of a Nursing Diagnosis	180
11.4	Definitions for Terms Associated with Nursing Diagnoses	182
11.5	Definitions for Classification of Nursing Diagnoses	182
11.6	References	183
<b>Part 4 The NANDA International Nursing Diagnoses</b>		
<b>Domain 1. Health promotion</b>		<b>187</b>
<b>Class 1. Health awareness</b>		
	Decreased diversional activity engagement	188
	Readiness for enhanced health literacy	189
	Sedentary lifestyle	190
<b>Class 2. Health management</b>		
	Risk for elopement attempt	192
	Frail elderly syndrome	193
	Risk for frail elderly syndrome	195
	Readiness for enhanced exercise engagement	196
	Deficient community health	197
	Risk-prone health behavior	198
	Ineffective health maintenance behaviors	199
	Ineffective health self-management	201
	Readiness for enhanced health self-management	203
	Ineffective family health self-management	204
	Ineffective home maintenance behaviors	206
	Risk for ineffective home maintenance behaviors	207
	Readiness for enhanced home maintenance behaviors	208
	Ineffective protection	209



<b>Domain 2. Nutrition</b>	<b>211</b>
<b>Class 1. Ingestion</b>	
Imbalanced nutrition: less than body requirements	213
Readiness for enhanced nutrition	215
Insufficient breast milk production	216
Ineffective breastfeeding	217
Interrupted breastfeeding	219
Readiness for enhanced breastfeeding	220
Ineffective adolescent eating dynamics	221
Ineffective child eating dynamics	222
Ineffective infant feeding dynamics	224
Obesity	226
Overweight	228
Risk for overweight	230
Ineffective infant suck-swallow response	232
Impaired swallowing	234
<b>Class 2. Digestion</b>	
This class does not currently contain any diagnoses	
<b>Class 3. Absorption</b>	
This class does not currently contain any diagnoses	
<b>Class 4. Metabolism</b>	
Risk for unstable blood glucose level	236
Neonatal hyperbilirubinemia	238
Risk for neonatal hyperbilirubinemia	239
Risk for impaired liver function	240
Risk for metabolic syndrome	241
<b>Class 5. Hydration</b>	
Risk for electrolyte imbalance	242
Risk for imbalanced fluid volume	243
Deficient fluid volume	244
Risk for deficient fluid volume	245
Excess fluid volume	246
<b>Domain 3. Elimination and exchange</b>	<b>247</b>
<b>Class 1. Urinary function</b>	
Disability-associated urinary incontinence	249
Impaired urinary elimination	250
Mixed urinary incontinence	251
Stress urinary incontinence	252
Urge urinary incontinence	253
Risk for urge urinary incontinence	254
Urinary retention	255
Risk for urinary retention	256

<b>Class 2. Gastrointestinal function</b>	
Constipation	257
Risk for constipation	259
Perceived constipation	260
Chronic functional constipation	261
Risk for chronic functional constipation	263
Impaired bowel continence	265
Diarrhea	267
Dysfunctional gastrointestinal motility	268
Risk for dysfunctional gastrointestinal motility	269
<b>Class 3. Integumentary function</b>	
This class does not currently contain any diagnoses	
<b>Class 4. Respiratory function</b>	
Impaired gas exchange	270
<b>Domain 4. Activity/rest</b>	271
<b>Class 1. Sleep/rest</b>	
Insomnia	274
Sleep deprivation	276
Readiness for enhanced sleep	278
Disturbed sleep pattern	279
<b>Class 2. Activity/exercise</b>	
Decreased activity tolerance	280
Risk for decreased activity tolerance	281
Risk for disuse syndrome	282
Impaired bed mobility	283
Impaired physical mobility	284
Impaired wheelchair mobility	285
Impaired sitting	287
Impaired standing	288
Impaired transfer ability	289
Impaired walking	290
<b>Class 3. Energy balance</b>	
Imbalanced energy field	291
Fatigue	292
Wandering	294
<b>Class 4. Cardiovascular/pulmonary responses</b>	
Ineffective breathing pattern	295
Decreased cardiac output	297
Risk for decreased cardiac output	299
Risk for impaired cardiovascular function	300
Ineffective lymphedema self-management	301
Risk for ineffective lymphedema self-management	303




Impaired spontaneous ventilation	305
Risk for unstable blood pressure	306
Risk for thrombosis	307
Risk for decreased cardiac tissue perfusion	308
Risk for ineffective cerebral tissue perfusion	309
Ineffective peripheral tissue perfusion	310
Risk for ineffective peripheral tissue perfusion	311
Dysfunctional ventilatory weaning response	312
Dysfunctional adult ventilatory weaning response	314
<b>Class 5. Self-care</b>	
Bathing self-care deficit	316
Dressing self-care deficit	317
Feeding self-care deficit	318
Toileting self-care deficit	319
Readiness for enhanced self-care	320
Self-neglect	321
<b>Domain 5. Perception/cognition</b>	323
<b>Class 1. Attention</b>	
Unilateral neglect	325
<b>Class 2. Orientation</b>	
This class does not currently contain any diagnoses	
<b>Class 3. Sensation/perception</b>	
This class does not currently contain any diagnoses	
<b>Class 4. Cognition</b>	
Acute confusion	326
Risk for acute confusion	327
Chronic confusion	328
Labile emotional control	329
Ineffective impulse control	330
Deficient knowledge	331
Readiness for enhanced knowledge	332
Impaired memory	333
Disturbed thought process	334
<b>Class 5. Communication</b>	
Readiness for enhanced communication	335
Impaired verbal communication	336



<b>Domain 6. Self-perception</b>	<b>339</b>
<b>Class 1. Self-concept</b>	
Hopelessness	341
Readiness for enhanced hope	343
Risk for compromised human dignity	344
Disturbed personal identity	345
Risk for disturbed personal identity	346
Readiness for enhanced self-concept	347
<b>Class 2. Self-esteem</b>	
Chronic low self-esteem	348
Risk for chronic low self-esteem	350
Situational low self-esteem	351
Risk for situational low self-esteem	353
<b>Class 3. Body image</b>	
Disturbed body image	355
<b>Domain 7. Role relationship</b>	<b>357</b>
<b>Class 1. Caregiving roles</b>	
Impaired parenting	359
Risk for impaired parenting	361
Readiness for enhanced parenting	363
Caregiver role strain	364
Risk for caregiver role strain	367
<b>Class 2. Family relationships</b>	
Risk for impaired attachment	369
Disturbed family identity syndrome	370
Risk for disturbed family identity syndrome	372
Dysfunctional family processes	373
Interrupted family processes	376
Readiness for enhanced family processes	377
<b>Class 3. Role performance</b>	
Ineffective relationship	378
Risk for ineffective relationship	379
Readiness for enhanced relationship	380
Parental role conflict	381
Ineffective role performance	382
Impaired social interaction	384

<b>Domain 8. Sexuality</b>	<b>385</b>
<b>Class 1. Sexual identity</b>	
This class does not currently contain any diagnoses	
<b>Class 2. Sexual function</b>	
Sexual dysfunction	386
Ineffective sexuality pattern	387
<b>Class 3. Reproduction</b>	
Ineffective childbearing process	388
Risk for ineffective childbearing process	390
Readiness for enhanced childbearing process	391
Risk for disturbed maternal-fetal dyad	392
<b>Domain 9. Coping/stress tolerance</b>	<b>393</b>
<b>Class 1. Post-trauma responses</b>	
Risk for complicated immigration transition	395
Post-trauma syndrome	396
Risk for post-trauma syndrome	398
Rape-trauma syndrome	399
Relocation stress syndrome	400
Risk for relocation stress syndrome	402
<b>Class 2. Coping responses</b>	
Ineffective activity planning	403
Risk for ineffective activity planning	404
Anxiety	405
Defensive coping	407
Ineffective coping	408
Readiness for enhanced coping	409
Ineffective community coping	410
Readiness for enhanced community coping	411
Compromised family coping	412
Disabled family coping	414
Readiness for enhanced family coping	415
Death anxiety	416
Ineffective denial	418
Fear	419
Maladaptive grieving	421
Risk for maladaptive grieving	423
Readiness for enhanced grieving	424
Impaired mood regulation	425
Powerlessness	426
Risk for powerlessness	428
Readiness for enhanced power	429
Impaired resilience	430

Risk for impaired resilience	432
Readiness for enhanced resilience	433
Chronic sorrow	434
Stress overload	435
<b>Class 3. Neurobehavioral stress</b>	
Acute substance withdrawal syndrome	436
Risk for acute substance withdrawal syndrome	437
Autonomic dysreflexia	438
Risk for autonomic dysreflexia	440
Neonatal abstinence syndrome	442
Disorganized infant behavior	443
Risk for disorganized infant behavior	445
Readiness for enhanced organized infant behavior	446
<b>Domain 10. Life principles</b>	<b>447</b>
<b>Class 1. Values</b>	
This class does not currently contain any diagnoses	
<b>Class 2. Beliefs</b>	
Readiness for enhanced spiritual well-being	449
<b>Class 3. Value/belief/action congruence</b>	
Readiness for enhanced decision-making	451
Decisional conflict	452
Impaired emancipated decision-making	453
Risk for impaired emancipated decision-making	454
Readiness for enhanced emancipated decision-making	455
Moral distress	456
Impaired religiosity	457
Risk for impaired religiosity	458
Readiness for enhanced religiosity	459
Spiritual distress	460
Risk for spiritual distress	462
<b>Domain 11. Safety/protection</b>	<b>463</b>
<b>Class 1. Infection</b>	
Risk for infection	466
Risk for surgical site infection	467
<b>Class 2. Physical injury</b>	
Ineffective airway clearance	468
Risk for aspiration	469
Risk for bleeding	470
Impaired dentition	471
Risk for dry eye	472



Ineffective dry eye self-management	473
Risk for dry mouth	475
Risk for adult falls	476
Risk for child falls	478
Risk for injury	480
Risk for corneal injury	481
Nipple-areolar complex injury	482
Risk for nipple-areolar complex injury	484
Risk for urinary tract injury	485
Risk for perioperative positioning injury	486
Risk for thermal injury	487
Impaired oral mucous membrane integrity	488
Risk for impaired oral mucous membrane integrity	490
Risk for peripheral neurovascular dysfunction	491
Risk for physical trauma	492
Risk for vascular trauma	494
Adult pressure injury	495
Risk for adult pressure injury	497
Child pressure injury	499
Risk for child pressure injury	501
Neonatal pressure injury	503
Risk for neonatal pressure injury	505
Risk for shock	507
Impaired skin integrity	508
Risk for impaired skin integrity	510
Risk for sudden infant death	512
Risk for suffocation	513
Delayed surgical recovery	514
Risk for delayed surgical recovery	516
Impaired tissue integrity	517
Risk for impaired tissue integrity	519
<b>Class 3. Violence</b>	
Risk for female genital mutilation	521
Risk for other-directed violence	522
Risk for self-directed violence	523
Self-mutilation	524
Risk for self-mutilation	526
Risk for suicidal behavior	528
<b>Class 4. Environmental hazards</b>	
Contamination	530
Risk for contamination	532
Risk for occupational injury	534
Risk for poisoning	535
<b>Class 5. Defensive processes</b>	
Risk for adverse reaction to iodinated contrast media	536
Risk for allergy reaction	537
Risk for latex allergy reaction	538



Overview



Search




Share



More



<b>Class 6. Thermoregulation</b>	
Hyperthermia	539
Hypothermia	540
Risk for hypothermia	541
Neonatal hypothermia	542
Risk for neonatal hypothermia	544
Risk for perioperative hypothermia	545
Ineffective thermoregulation	546
Risk for ineffective thermoregulation	547
<b>Domain 12. Comfort</b>	<b>549</b>
<b>Class 1. Physical comfort</b>	
Impaired comfort	551
Readiness for enhanced comfort	552
Nausea	553
Acute pain	554
Chronic pain	555
Chronic pain syndrome	557
Labor pain	558
<b>Class 2. Environmental comfort</b>	
Impaired comfort	560
Readiness for enhanced comfort	561
<b>Class 3. Social comfort</b>	
Impaired comfort	562
Readiness for enhanced comfort	563
Risk for loneliness	564
Social isolation	565
<b>Domain 13. Growth/development</b>	<b>567</b>
<b>Class 1. Growth</b>	
This class does not currently contain any diagnoses	
<b>Class 2. Development</b>	
Delayed child development	568
Risk for delayed child development	570
Delayed infant motor development	571
Risk for delayed infant motor development	573
<b>Index</b>	<b>575</b>
<b>Foci</b>	Inside back cover



successfully met the level of evidence criteria with their submissions and/or revisions. Forty-six new diagnoses were approved by the Diagnosis Development Committee and were presented to the NANDA-I Board of Directors (► Table 1.1), and are now included here for members and users of the terminology. The submitters of each diagnosis are presented following the table.

**Submitters of nursing diagnoses.** Included here are those contributors who submitted new diagnoses or completed reviews of diagnoses including both label and definition change, or significant content change. Individuals who

**Table 1.1** New NANDA-I Nursing Diagnoses, 2021–2023\*

Domain	Diagnosis
1. Health Promotion	Risk for elopement attempt (00290)
	Readiness for enhanced exercise engagement (00307)
	Ineffective health maintenance behaviors (00292)*
	Ineffective health self-management (00276)*
	Readiness for enhanced health self-management (00293)*
	Ineffective family health self-management (00294)*
	Ineffective home maintenance behaviors (00300)*
	Risk for ineffective home maintenance behaviors (00308)
	Readiness for enhanced home maintenance behaviors (00309)
2. Nutrition	Ineffective infant suck-swallow response (00295)*
	Risk for metabolic syndrome (00296)*
3. Elimination and Exchange	Disability-associated urinary incontinence (00297)*
	Mixed urinary incontinence (00310)
	Risk for urinary retention (00322)
	Impaired bowel continence (00319)*
4. Activity/rest	Decreased activity tolerance (00298)*
	Risk for decreased activity tolerance (00299)*
	Risk for impaired cardiovascular function (00311)
	Ineffective lymphedema self-management (00278)
	Risk for ineffective lymphedema self-management (00281)
	Risk for thrombosis (00291)
	Dysfunctional adult ventilatory weaning response (00318)
5. Perception/cognition	Disturbed thought process (00279)
7. Role relationship	Disturbed family identity syndrome (00283)
	Risk for disturbed family identity syndrome (00284)
9. Coping/stress tolerance	Maladaptive grieving (00301)*
	Risk for maladaptive grieving (00302)*
	Readiness for enhanced grieving (00285)

Table 1.1 (Continued)

Domain	Diagnosis
11. Safety/protection	Ineffective dry eye self-management (00277)
	Risk for adult falls (00303)*
	Risk for child falls (00306)
	Nipple-areolar complex injury (00320)
	Risk for nipple-areolar complex injury (00321)
	Adult pressure injury (00312)
	Risk for adult pressure injury (00304)*
	Child pressure injury (00313)
	Risk for child pressure injury (00286)
	Neonatal pressure injury (00287)
	Risk for neonatal pressure injury (00288)
	Risk for suicidal behavior (00289)*
	Neonatal hypothermia (00280)
	Risk for neonatal hypothermia (00282)
13. Growth/ development	Delayed child development (00314)
	Risk for delayed child development (00305)*
	Delayed infant motor development (00315)
	Risk for delayed infant motor development (00316)

\*For taxonomic purposes, when a diagnosis label and definition are revised, the original code is retired and a new code is assigned

worked as a group are listed together; in cases where more than one individual or group submitted content, they are listed separately.

Countries of submitters: 1. Brazil, 2. Germany, 3. Iran, 4. Mexico, 5. Spain, 6. Turkey, 7. USA

#### Domain 1. Health promotion

- Risk for elopement attempt
  - Amália F. Lucena, Ester M. Borba, Betina Franco, Gláucia S. Policarpo, Deborah B. Melo, Simone Pasin, Luciana R. Pinto, Michele Schmid<sup>1</sup>
- Readiness for enhanced exercise engagement
  - Raúl Fernando G. Castañeda<sup>1</sup>
- Ineffective health maintenance behaviors
  - Rafaela S. Pedrosa, Andressa T. Nunciaroni<sup>1</sup>
  - Camila T. Lopes<sup>1</sup>
- Ineffective health self-management
  - Camila S. Carneiro, Agueda Maria R. Z. Cavalcante, Gisele S. Bispo, Viviane M. Silva, Alba Lucia B.L. Barros<sup>1</sup>

